



BSG
AUTO PARTS

BATTERY CATALOGUE



INDEX

TECHNICAL DRAWING	6-7
JAPANESE TYPES	8-13
EUROPEAN TYPES	14-23
HEAVY DUTY	24-29

The brand of Basbug Group, BSG, provides superior quality solutions for global car parc



Headquarter
Amsterdam,
NETHERLANDS



4 Countries
18 Logistics Centers



Availability
In **100+** Countries



1.200+
Team Members



75.000+
Square Meters
Logistic Capacity



Car Parc Covarege
92%



50.000+
Product References



20.000+
Stock Reference

BSG BATTERIES

Produced to Highest Quality Standards in Europe!

- High Performance
- Maximum Durability
- Excellent Quality



BSG
AUTO PARTS

BATTERIES


BSG Batteries are specially designed to provide long life even in harsh weather and road conditions. It constantly improves product portfolio by following the technology and aim to minimize carbon emissions.

- * IATF 16949 Certified
- * High Cranking Power
- * Long lasting
- * Durable
- * High Vibration Resistance
- * High Corrosion Resistance and Low Water Loss
- * Minimize fuel consumption
- * Wide product portfolio for passenger cars, light commercial vehicles and heavy commercial vehicles


TECHNICAL DRAWING

COVER TYPES

SMF




MF




LAYOUT


LAYOUT 0




LAYOUT 1



LAYOUT 3




LAYOUT 4




TERMINAL TYPES

TERMINAL A



TERMINAL B




BASE HOLD DOWN

B00



B05



slots on long sides, 29.0mm on short sides

B01



10.5mm on long sides only

B06



B03



5 notches

B13



10.5mm on all four sides

B04



19.0mm on long sides only

B14



5 notches

19.00mm on long sides, 10.5mm on short sides

JAPANESE TYPE




BSG 99-997-001




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	NS40
VOLTAGE (V)	12
CAPACITY (AH)	36
CCA EN	360
LAYOUT	0
TERMINAL	B
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 187 b: 127 c: 225
HOLD-DOWN	B00

LAYOUT 0



HOLD DOWN B00




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	NS40
VOLTAGE (V)	12
CAPACITY (AH)	36
CCA EN	360
LAYOUT	1
TERMINAL	B
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 187 b: 127 c: 225
HOLD-DOWN	B00


BSG 99-997-002



LAYOUT 1



HOLD DOWN B00




BSG 99-997-003





BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	NS60
VOLTAGE (V)	12
CAPACITY (AH)	45
CCA EN	430
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 236 b: 128 c: 225
HOLD-DOWN	B01

LAYOUT 0



HOLD DOWN B01




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	NS60
VOLTAGE (V)	12
CAPACITY (AH)	45
CCA EN	430
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 236 b: 128 c: 225
HOLD-DOWN	B01



BSG 99-997-004



LAYOUT 1



HOLD DOWN B01




BSG 99-997-008





BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	N50
VOLTAGE (V)	12
CAPACITY (AH)	70
CCA EN	650
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 259 b: 178 c: 222
HOLD-DOWN	B14

LAYOUT 0



HOLD DOWN B14




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	N50
VOLTAGE (V)	12
CAPACITY (AH)	70
CCA EN	650
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 259 b: 178 c: 222
HOLD-DOWN	B14



BSG 99-997-009



LAYOUT 1



HOLD DOWN B14




BSG 99-997-013



BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	N70
VOLTAGE (V)	12
CAPACITY (AH)	90
CCA EN	720
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 305 b: 179 c: 220
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	D23
VOLTAGE (V)	12
CAPACITY (AH)	60
CCA EN	540
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 230 b: 172 c: 222
HOLD-DOWN	B00



BSG 99-997-017



LAYOUT 0



HOLD DOWN B00




BSG 99-997-018




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	D23
VOLTAGE (V)	12
CAPACITY (AH)	60
CCA EN	540
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 230 b: 172 c: 222
HOLD-DOWN	B00

LAYOUT 1



HOLD DOWN B00




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	NS40
VOLTAGE (V)	12
CAPACITY (AH)	36
CCA EN	360
LAYOUT	0
TERMINAL	B
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 187 b: 127 c: 225
HOLD-DOWN	B00


BSG 99-997-050



LAYOUT 0



HOLD DOWN B00



EUROPEAN TYPES




BSG 99-997-005




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L1B
VOLTAGE (V)	12
CAPACITY (AH)	48
CCA EN	440
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 207 b: 175 c: 175
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L2
VOLTAGE (V)	12
CAPACITY (AH)	60
CCA EN	540
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 242 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-006



LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-007



BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L2B
VOLTAGE (V)	12
CAPACITY (AH)	50
CCA EN	470
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 242 b: 175 c: 175
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L3
VOLTAGE (V)	12
CAPACITY (AH)	75
CCA EN	680
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 278 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-010



LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-011



BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L3B
VOLTAGE (V)	12
CAPACITY (AH)	72
CCA EN	650
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 278 b: 175 c: 175
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L4B
VOLTAGE (V)	12
CAPACITY (AH)	80
CCA EN	760
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 315 b: 175 c: 175
HOLD-DOWN	B13

BSG 99-997-012



LAYOUT 0



HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-014



BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L5B
VOLTAGE (V)	12
CAPACITY (AH)	100
CCA EN	850
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 353 b: 175 c: 175
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	START STOP EFB
COVER TYPE	SMF
BOX	L2
VOLTAGE (V)	12
CAPACITY (AH)	63
CCA EN	640
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 242 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-019




LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-020



BATTERY TYPE	START STOP EFB
COVER TYPE	SMF
BOX	L3
VOLTAGE (V)	12
CAPACITY (AH)	73
CCA EN	720
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 278 b: 175 c: 190
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L4
VOLTAGE (V)	12
CAPACITY (AH)	80
CCA EN	730
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 315 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-021



LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-047




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L2
VOLTAGE (V)	12
CAPACITY (AH)	60
CCA EN	540
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 242 b: 175 c: 190
HOLD-DOWN	B13

LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	STARTER
COVER TYPE	SMF
BOX	L3
VOLTAGE (V)	12
CAPACITY (AH)	75
CCA EN	680
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 278 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-048




LAYOUT 0




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-093



BATTERY TYPE	START STOP
COVER TYPE	SMF
BOX	L2
VOLTAGE (V)	12
CAPACITY (AH)	60
CCA EN	640
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 242 b: 175 c: 190
HOLD-DOWN	B13

LAYOUT 1




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	START&STOP
COVER TYPE	SMF
BOX	L3
VOLTAGE (V)	12
CAPACITY (AH)	70
CCA EN	760
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 278 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-094




LAYOUT 1




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-095



BATTERY TYPE	START&STOP
COVER TYPE	SMF
BOX	L4
VOLTAGE (V)	12
CAPACITY (AH)	80
CCA EN	800
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 315 b: 175 c: 190
HOLD-DOWN	B13

LAYOUT 1




HOLD DOWN B13

5 notches



10.5mm on all four sides




BATTERY TYPE	START&STOP
COVER TYPE	SMF
BOX	L5
VOLTAGE (V)	12
CAPACITY (AH)	95
CCA EN	850
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 395 b: 175 c: 190
HOLD-DOWN	B13

BSG 99-997-096




LAYOUT 1




HOLD DOWN B13

5 notches



10.5mm on all four sides




BSG 99-997-097



BATTERY TYPE	START STOP EFB
COVER TYPE	SMF
BOX	LB4
VOLTAGE (V)	12
CAPACITY (AH)	75
CCA EN	730
LAYOUT	1
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 315 b: 175 c: 175
HOLD-DOWN	B13

LAYOUT 1




HOLD DOWN B13

5 notches



10.5mm on all four sides



HEAVY DUTY




BSG 99-997-015




COVER TYPE	MF
BOX	H4
VOLTAGE (V)	12
CAPACITY (AH)	100
CCA EN	700
LAYOUT	0
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 345 b: 175 c: 238
HOLD-DOWN	B01

LAYOUT 0



HOLD DOWN B01




COVER TYPE	MF
BOX	D4A
VOLTAGE (V)	12
CAPACITY (AH)	135
CCA EN	800
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 513 b: 189 c: 217
HOLD-DOWN	B00


BSG 99-997-016



LAYOUT 3



HOLD DOWN B00




BSG 99-997-098





BATTERY TYPE	START STOP EFB
COVER TYPE	MF
BOX	B/M15
VOLTAGE (V)	12
CAPACITY (AH)	190
CCA EN	1100
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 514 b: 218 c: 218
HOLD-DOWN	B03

LAYOUT 3



HOLD DOWN B03




BATTERY TYPE	START STOP EFB
COVER TYPE	MF
BOX	C/M16
VOLTAGE (V)	12
CAPACITY (AH)	230
CCA EN	1200
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 518 b: 273 c: 240
HOLD-DOWN	B00


BSG 99-997-099



LAYOUT 3



HOLD DOWN B00




BSG 99-997-101





BATTERY TYPE	STARTER
COVER TYPE	MF
BOX	A/MB14
VOLTAGE (V)	12
CAPACITY (AH)	150
CCA EN	900
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 513 b: 189 c: 217
HOLD-DOWN	B03

LAYOUT 3



HOLD DOWN B03




BATTERY TYPE	STARTER
COVER TYPE	MF
BOX	B/M15
VOLTAGE (V)	12
CAPACITY (AH)	180
CCA EN	1100
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 514 b: 218 c: 218
HOLD-DOWN	B03



BSG 99-997-102



LAYOUT 3



HOLD DOWN B03




BSG 99-997-103





BATTERY TYPE	STARTER
COVER TYPE	MF
BOX	B/M15
VOLTAGE (V)	12
CAPACITY (AH)	200
CCA EN	1150
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 514 b: 218 c: 218
HOLD-DOWN	B03

LAYOUT 3



HOLD DOWN B03




BATTERY TYPE	STARTER
COVER TYPE	MF
BOX	C/M16
VOLTAGE (V)	12
CAPACITY (AH)	220
CCA EN	1100
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 518 b: 273 c: 240
HOLD-DOWN	B00


BSG 99-997-104



LAYOUT 3



HOLD DOWN B00




BSG 99-997-105




BATTERY TYPE	STARTER
COVER TYPE	MF
BOX	C/M16
VOLTAGE (V)	12
CAPACITY (AH)	235
CCA EN	1200
LAYOUT	3
TERMINAL	A
LENGTH (a) - WIDTH (b) - HEIGHT (c) (mm)	a: 518 b: 273 c: 240
HOLD-DOWN	B00

LAYOUT 3



HOLD DOWN B00





JAPANESE TYPE

BSG Code	Box	Voltage (V)	Capacity (AH)	CCA EN	Layout	Terminal	Lenght (a-mm)	Width (b-mm)	Height (c-mm)	Hold Down
BSG 99-997-001	NS40	12	36	360	0	B	187	127	225	800
BSG 99-997-002	NS40	12	36	360	1	B	187	127	225	800
BSG 99-997-003	NS60	12	45	430	0	A	236	128	225	801
BSG 99-997-004	NS60	12	45	430	1	A	236	128	225	801
BSG 99-997-008	N50	12	70	650	0	A	259	178	222	814
BSG 99-997-009	N50	12	70	650	1	A	259	178	222	814
BSG 99-997-013	N70	12	90	720	0	A	305	179	220	803
BSG 99-997-017	D23	12	60	540	0	A	230	172	222	800
BSG 99-997-018	D23	12	60	540	1	A	230	172	222	800
BSG 99-997-050	NS40	12	36	360	0	B	187	127	225	800

EUROPEAN TYPE

BSG Code	Box	Voltage (V)	Capacity (AH)	CCA EN	Layout	Terminal	Lenght (a-mm)	Width (b-mm)	Height (c-mm)	Hold Down
BSG 99-997-005	L1B	12	48	440	0	A	207	175	175	813
BSG 99-997-006	L2	12	60	540	0	A	242	175	190	813
BSG 99-997-007	L2B	12	50	470	0	A	242	175	175	813
BSG 99-997-010	L3	12	75	680	0	A	278	175	190	813
BSG 99-997-011	L3B	12	72	650	0	A	278	175	175	813
BSG 99-997-012	L4B	12	80	760	0	A	315	175	175	813
BSG 99-997-014	L5B	12	100	850	0	A	353	175	175	813
BSG 99-997-019	L2	12	63	640	0	A	242	175	190	813
BSG 99-997-020	L3	12	73	720	0	A	278	175	190	813
BSG 99-997-021	L4	12	80	730	0	A	315	175	190	813
BSG 99-997-047	L2	12	60	540	0	A	242	175	190	813
BSG 99-997-048	L3	12	75	680	0	A	278	175	190	813
BSG 99-997-093	L2	12	60	640	1	A	242	175	190	813
BSG 99-997-094	L3	12	70	760	1	A	278	175	190	813
BSG 99-997-095	L4	12	80	800	1	A	315	175	190	813
BSG 99-997-096	L5	12	95	850	1	A	395	175	190	813
BSG 99-997-097	LB4	12	75	730	1	A	315	175	175	813

HEAVY DUTY

BSG Code	Box	Voltage (V)	Capacity (AH)	CCA EN	Layout	Terminal	Lenght (a-mm)	Width (b-mm)	Height (c-mm)	Hold Down
BSG 99-997-015	H4	12	100	700	0	A	345	175	238	801
BSG 99-997-016	D4A	12	135	800	3	A	513	189	217	800
BSG 99-997-098	B/M15	12	190	1100	3	A	514	218	218	803
BSG 99-997-099	C/M16	12	230	1200	3	A	518	273	240	800
BSG 99-997-101	A/MB14	12	150	900	3	A	513	189	217	803
BSG 99-997-102	B/M15	12	180	1100	3	A	514	218	218	803
BSG 99-997-103	B/M15	12	200	1150	3	A	514	218	218	803
BSG 99-997-104	C/M16	12	220	1100	3	A	518	273	240	800
BSG 99-997-105	C/M16	12	235	1200	3	A	518	273	240	800

**NETHERLANDS
BSG AUTO PARTS B.V**

Nieuw-Zeelandweg 7,
1045 AL Amsterdam, The Netherlands
T: +31 20 2194637
info@bsgautoparts.com

**TÜRKİYE
BSG OTO YEDEK PARÇA A.Ş.**

Atatürk Mah. Orhan Veli Cad. No:19
Esenyurt, İstanbul, Türkiye
T: +90 212 886 90 60
info@bsgautoparts.com

**U.A.E / DUBAI
BSG AUTO SPARE PARTS
TRADING L.L.C.**

Show Room NO.12, 400 Building,
Deira, P.O Box 181923, Dubai, U.A.E
T:+971 4 2277750
info@bsgautoparts.com

**CHINA
NINGBO BSG AUTO PARTS
INT. TRADE CO.LTD.**

C1006 Hebang Building, No:899 North
Tiantong Road, Ningbo, China
T:+86 574 879 11145
info@bsgautoparts.com

BSG
AUTO PARTS